

The Scandinavian Journal of
*Clinical & Laboratory
Investigation*

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

J. Hartiala	K. O. Pedersen
J. H. Henriksen	I. Romslo
E. Hultman	K. Rootwelt
M. Hørder	U-H. Stenman
K. Liewendahl	J. Waldenström

EDITORIAL SECRETARY
T. A. Hagve

Scand. J. Clin. Lab. Invest. – Vol. 54 – 1994

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Suite 208, Cambridge, MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia
2 Rue Casimir Delavigne, 75006 Paris, France
Meinekestrasse 4, D-1000 Berlin 15, Germany
Feldgasse 13, A-1238 Vienna, Austria

© 1994 Medisinsk Fysiologisk Forenings Forlag, Institute of
Clinical Biochemistry, Rikshospitalet, N-0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or the
internal or personal use of specific clients is granted by
Medisinsk Fysiologisk Forenings Forlag for libraries and
other users registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service, provided that the
base fee of \$10.50 per copy is paid directly to the CCC,
27 Congress Street, Salem, MA 01970, USA. This consent
does not extend to other kinds of copying, such as copying
for general distribution, for advertising or promotional
purposes, for creating new collective works or for resale.
Special requests should be addressed to the Editor.
0036-5513/93 \$10.50.

No. 1

Original Articles

The urinary bile acid excretion in healthy premature and full-term infants during the neonatal period: <i>B. Strandvik, E. Wahlén & S.-Å. Wikström</i>	1
Serum concentrations of carboxyterminal cross-linked telopeptide of type I collagen (ICTP), serum tartrate resistant acid phosphatase, and serum levels of intact parathyroid hormone in parathyroid hyperfunction: <i>C. De la Piedra, M. A. Díaz Martín, E. M. Díaz Diego, E. López Gavilanes, E. González Parra, C. Caramelo & A. Rapado</i>	11
Does granulocyte depletion protect against ischaemic muscle necrosis?: <i>S. Skjeldal, B. Groggaard, L. Nordsletten, A. Torvik, A. Svindland & O. Reikarås</i>	17
The magnesium loading test: reference values in healthy subjects: <i>L. Gullestad, K. Midtvedt, L. Ø. Dolva, J. Norseth & J. Kjekshus</i>	23
Health-based reference values of the Mini-Finland Health Survey: 2. Cholesterol in total serum and in different lipoprotein fractions: <i>J. Maatela, J. Marniemi, A. Reunanen, J. Järvisalo, J. Mäki & M. J. Tikkanen</i>	33
Health-based reference values of the Mini-Finland Health Survey: 3. Triglycerides in total serum and in different lipoprotein fractions: <i>J. Martiemi, J. Maatela, J. Järvisalo, A. Reunanen, J. Mäki & M. J. Tikkanen</i>	43
A high-sensitivity immuno-chemiluminescence technique for detection of oligoclonal IgG and IgM in unconcentrated cerebrospinal fluid: <i>D. Nelson, P. Fredman & J. Börjeson</i>	51
The effect of recombinant human erythropoietin treatment on the endurance performance of Sprague-Dawley rats: <i>D. J. Verbrugge & L. T. Goodnough</i>	55
Cholesterol measurement by reflectron dry chemistry in infants, children and adults: <i>H. Lapinleimu, J. Viikari, E. Jokinen, T. Routi, P. Salo, O. Hollo, H. Niinikoski, T. Rönnemaa, A. Leino, I. Välimäki & O. Simell</i>	61
Influence of human plasma or serum albumin on ADP- or vasopressin-induced calcium increases in human platelets: <i>O. S. Pedersen, B. F. Kase & K. L. Reichelt</i>	67
Serum transferrin receptor levels in anaemic patients with rheumatoid arthritis: <i>O. J. Nielsen, L. S. Andersen, N. E. Hansen & T. M. Hansen</i>	75
Androgen metabolism in different lobes of the prostate gland of intact, gonadectomized or hypophysectomized rats with or without androgen substitution: <i>H. E. Fjøsne, E. Haug & A. Sunde</i>	83

No. 2

Original Articles

Hereditary spherocytosis: diagnostic and anaemia-associated aberrations of ghost proteins: <i>T. F. Ørntoft & N. Clausen</i>	95
Angiotensin-converting enzyme in human skeletal muscle. A simple <i>in vitro</i> assay of activity in needle biopsy specimens: <i>R. Reneland & H. Lithell</i>	105
Reliability of C-reactive protein measurement in general practice in The Netherlands: <i>G. J. Dinant, R. Costongs, R. M. F. M. Leclercq & J. W. J. van Wersch</i>	113
Intravenous theophylline-induced excretion of calcium, magnesium and sodium in patients with recurrent asthmatic attacks: <i>R. Knutsen, T. Bohmer & J. Falch</i>	119
The effect of <i>in vitro</i> procedures on cyclic AMP accumulation in human leucocytes: <i>T. Johansen, U. G. Friis, A. K. Rasmussen & N. Foged</i>	127

Reference intervals and decision limits for plasma lipids and lipoproteins: a practical evaluation of current recommendations: <i>J.-E. Nilsson, J. Lanke, P. Nilsson-Ehle, N. Tryding & B. Schersten</i>	137
Susceptibility to <i>in vitro</i> lipid peroxidation of low density lipoproteins and erythrocyte membranes from liver cirrhotic patients: <i>M. Taus, G. Ferretti, N. Dousset, J. Moureau, M. Battino, M. L. Solera, P. Valdiqúé & G. Curatola</i>	147
The acute effects of induced tachycardia on coronary sinus and arterial plasma levels of atrial natriuretic peptide and on arterial catecholamines: <i>B. K. Øie, O. Myking, P. I. Hoff & O.-J. Ohm</i>	155
Diurnal variations in total forearm and skin microcirculatory blood flow in man: <i>A. J. H. M. Houben, D. W. Slaaf, F. C. Huvers, P. W. De Leeuw, A. C. Nieuwenhuijzen Kruseman & N. C. Schaper</i>	161
Do local hospitals meet the analytical goals for the use of common reference intervals? <i>A. Frølich, B. F. Nielsen, J. Nielsen, K. Conradsen & P. McNair</i>	169
Non-Obese men with high lipoprotein(a) values — a cardiovascular risk group different from those with the metabolic syndrome? <i>H. Lind, P. Nilsson, N. Holthius & L. Lindholm</i> ...	177

Technical Note

Effect of clotting temperature and eosinophil concentration on the eosinophil cationic protein concentration in serum: <i>C. J. Pronk-Admiraal & P. C. M. Bartels</i>	185
ERRATUM	189

No. 3

Original Articles

Interactions between cultured bovine arterial endothelial and smooth muscle cells; effects of modulated low density lipoproteins on cell proliferation and prostacyclin release: <i>C.-B. Xu, L. Stavenow & H. Pessah-Rasmussen</i>	191
Stability of albumin, protein HC, immunoglobulin G, κ - and λ -chain immunoreactivity, orosomucoid and α 1-antitrypsin in urine stored at various conditions: <i>J. Tencer, H. Thysell, K. Andersson & A. Grubb</i>	199
Radioimmunoassay of plasma neuropeptide Y using HPLC for separation of related peptides and fragments: <i>L. Sælsen, H. B. Andersen, P. Bratholm & N. J. Christensen</i>	207
Serum alpha-fetoprotein and alcohol consumption: <i>M. Christiansen, J. R. Andersen, J. Tønning, O. Overgård, S. P. Jensen, E. Magid & B. Norgaard-Pedersen</i>	215
Percentage of NK-cells in peripheral blood in resting normal subjects is negatively correlated to plasma adrenaline: <i>J. H. Knudsen, E. Kjærsgaard, E. W. Jensen & N. J. Christensen</i> ..	221
Urinary growth hormone determination in prepubertal children using a modification of a commercial kit designed for determination of growth hormone in serum: <i>J. Aman & I. Jones</i>	227
Comparison of three commercial kits and a microbiological assay for the determination of vitamin B ₁₂ in serum: <i>J. Arnaud, A. Cotisson, G. Meffre, M. Bourgeay-Causse, C. Augert, A. Favier, J.-P. Vuillez & G. Ville</i>	235
Insulin and PAI-1 levels during oral glucose tolerance test in patients with coronary heart disease: <i>I. Seljeflot, J. Eritsland, P. Torjesen & H. Arnesen</i>	241

Technical Notes

Diagnostic value of indirect pancreatic function test in serum of anuric patients with chronic renal failure: <i>M. M. Lerch, I. Nolte, J. Riehl, U. Gladziwa, H. Mann, H.-G. Sieberth & S. Matern</i>	247
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

Deficient performance of drugs of abuse testing in Sweden: an external control study: <i>P. Lafolie & O. Beck</i>	251
------------------------------------------------------------------------------------------------------------------------------------	-----

No. 4

Original Articles

Association of pseudothrombocytopenia and pseudoleukopenia: evidence for different pathogenic mechanisms: <i>D. Moraglio, G. Banfi & A. Arnelli</i>	257
Metabolic control in insulin-dependent diabetes mellitus, as reflected in the <i>in vitro</i> effects of platelets on endothelial cell proliferation and prostacyclin production: <i>P. Falke, L. Stavenow & I. Mattiasson</i>	267
Long-term effects of n-3 fatty acids on serum lipids and glycaemic control: <i>J. Eritsland, I. Seljeflot, M. Abdelnoor, H. Arnesen & P. A. Torjesen</i>	273
Dependency of blood pressure upon cardiac filling in patients with severe postural hypotension: <i>J. Mehlsen, C. Hædersdal & K. H. Stokholm</i>	281
Bile salt sulphotransferase activity in the liver of cholestatic infants: <i>K. Obinata, A. Nemeth, Å. Ellin & B. Strandvik</i>	285
The erythrocyte sedimentation rate in general practice: clinical assessment based on case histories: <i>G. Thue, S. Sandberg & P. Fugelli</i>	291
Effect of 1-week fasting on some blood values in man: <i>S. Närvänen, H. Frankberg-Lakkala & J. H. Meurman</i>	301
Determination of caffeine and its metabolites in urine by high-performance liquid chromatography and capillary electrophoresis: <i>N. Rodopoulos & A. Norman</i>	305
Time-resolved immunofluorometric assay for thyrotropin improved for enhanced functional sensitivity and clinical discrimination: <i>E. Taimela, P. Koskinen & K. Irjala</i>	317
The effect of cryo-storage on the β_2 -adrenoceptor density and responsiveness in intact human lymphocytes: <i>P. Ahlquist, T. Johansen & U. G. Friis</i>	323
Serum cardio-specific troponin T after open heart surgery in patients with and without perioperative myocardial infarction: <i>L. Eikvar, J. Pillgram-Larsen, Ø. Skjæggstad, H. Arnesen & J. H. Strømme</i>	329
Electrocardiographic changes during antihypertensive treatment with diltiazem in relation to the achieved serum levels of the drug: <i>L. Lind, H. Lithell, C. G. Johansson, C. Mörlin & S. Ljunghall</i>	337
Lipoprotein oxidation and measurement of hydroperoxide formation in a single microtitre plate: <i>B. Wallin & G. Camejo</i>	341

Technical Note

Automated and manual serum free thyroxine assays evaluated with equilibrium dialysis: <i>K. Liewendahl, L. Melamies, T. Helenius, S.-L. Karonen, E. Liljeström, M. Välimäki & T. Weber</i>	347
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

No. 5

Enhancement of fibrinolytic activity of human plasma in the presence of acetone: <i>K. Adamus & W. Pajdak</i>	353
-----------------------------------------------------------------------------------------------------------------------------	-----

Lipoprotein (a) in smoking and non-smoking pregnant women: <i>J. W. J. Wersch, B. A. H. A. van Mackelenbergh & J. M. H. Ubachs</i>	361
Purification and characterization of a human neutrophil lipocalin (HNL) from the secondary granules of human neutrophils: <i>S. Y. Xu, M. Carlson, Å. Engström, R. Garcia, C. G. B. Peterson & P. Venge</i>	365
A rapid method for determination of hepatic amino nitrogen to urea nitrogen conversion ('the functional hepatic nitrogen clearance'): <i>O. Hamberg & H. Vilstrup</i>	377
Effects of different density gradient separation techniques on neutrophil function: <i>T. J. Venaille, N. L. A. Misso, M. J. Phillips, B. W. S. Robinson & P. J. Thompson</i>	385
Generation of reactive oxygen intermediates in relation to short course chemotherapy in children suffering from pulmonary tuberculosis: <i>L. Kumar, M. Bhashini, V. Kumar, R. K. Marwaha & N. K. Ganguly</i>	393
Salt restriction in hypertension — the effect of dietary advice and self monitoring of chloride concentration in urine: <i>E. Meland, E. Laerum & R. J. Ulvik</i>	399
Salt restriction and increased insulin production in hypertensive patients: <i>E. Meland, E. Laerum, A. Aakvaag & R. J. Ulvik</i>	405

No. 6

Effect of acute smoking on red blood cell deformability in healthy young and elderly non-smokers, and effect of verapamil on age- and acute smoking-induced change in red blood cell deformability: <i>K. Salbaş</i>	411
Plasma homocysteine and thiol compound fractions after oral administration of N-acetylcysteine: <i>B. Hultberg, A. Andersson, P. Masson, M. Larson & A. Tunek</i>	417
Changes in the activities of DNA polymerases in growing rat lungs: <i>T. Mizuuchi, T. Taguchi & K. Kida</i>	423
Influence of metabolic control of pregnant diabetics on fetal lung maturity: <i>A. Zapata, C. Grande & J. M. Hernández-García</i>	431
Factors influencing between-laboratory variability of C-reactive protein results as evidenced by the Belgian External Quality Assessment (EQA) Scheme: <i>N. Devleeschouwer, J. C. Libeer, J. P. Chapelle, C. L. Struway, C. Gyssels, A. L'Hoir & A. Albert</i>	435
Endothelin-1 and cerebral blood flow: influence of hypoxia, hypercapnia and indomethacin on circulating endothelin levels in healthy volunteers: <i>K. Therkelsen, K. A. Jensen, M. Freundlich, H. Thorshauge, L. Bünnemann & L. Bøgeskov Nielsen</i>	441
A comparison between two commercial methods for determining carbohydrate deficient transferrin (CDT): <i>H. Bell, C. C. M. Tallaksen, E. Haug & K. Try</i>	453
Oral S-adenosyl-L-methionine (SAME) administration enhances bile salt conjugation with taurine in patients with liver cirrhosis: <i>M. Angelico, C. Gandin, A. Nistri, L. Baiocchi & L. Capocaccia</i>	459
Lipoproteins do not modulate the tissue factor activity, plasminogen activator or tumour necrosis factor production induced by lipopolysaccharide stimulation of human monocytes: <i>E. Schlichting, T. Henriksen & T. Lyberg</i>	465
Determination of human tumour necrosis factor- α (TNF- α) by time-resolved immunofluorescence assay: <i>U. Turpeinen & U.-H. Stenman</i>	475
Factitiously low urate recoveries in control sera with the Beckman Synchron Systems: <i>J.-C. Libeer & N. Hamers</i>	485
List of referees for 1993	487

No. 7

Original Articles

Absorption and incorporation into tissue lipids of ^3H -arachidonic- and ^{14}C -linoleic acid: effects of ethanol in jejunal tissue cultures and <i>in vivo</i> : Q. Chen, H. Barros, C.-H. Florén & Å. Nilsson	495
A new automated method for continuous registration of factor VII activation <i>in vitro</i> . Activation is accelerated by the concentration of factor VII and the activity state of the protein: E. M. Bladbjerg, J. Jespersen & J. Gram	505
Different types of heparin in haemodialysis: long-term effects on post-heparin lipases: M. Arnadottir, J. Kurkus, P. Nilsson-Ehle	515
Effects of indomethacin on renal function in normotensive patients with chronic glomerulonephritis with preserved renal function: C. B. Nielsen, S. S. Sørensen & E. B. Pedersen	523
Parathyroid hormone in blood pressure and volume homeostasis in healthy subjects, hyperparathyroidism, liver cirrhosis and glomerulonephritis. A possible interaction with angiotensin II and atrial natriuretic peptide: B. Jespersen, N. Fogh-Andersen & A. Brock	531
The influence of N-acetylcysteine on the measurement of prothrombin time and activated partial thromboplastin time in healthy subjects: S. Jepsen & A. B. Hansen	543
Effects of free fatty acids found increased in women who develop pre-eclampsia on the ability of endothelial cells to produce prostacyclin, cGMP and inhibit platelet aggregation: M. J. Endresen, E. Tosti, H. Heimli, B. Lorentzen & T. Henriksen	549
The behaviour of Lipoprotein(a) in patients with various diseases: J. W. J. Van Wersch	559
The estimated free concentration of calcdiol is higher in venous cord blood than in maternal blood: L. Brunvand & E. Haug	563
ERRATUM	567

No. 8

Invited Review

Radioimmuno-detection of malignant solid tumours: K. J. A. Kairemo & K. Liewendahl	569
----------------------------------------------------------------------------------------------	-----

Original Articles

Selenium status and the effect of organic and inorganic selenium supplementation in a group of elderly people in Denmark: K. Ø. Lassen & M. Horder	585
Detection of steroid receptors in breast cancer: relationship between EIA and IHC methods: E. Lerma, C. Esqué, G. Peiró, J. Mora, I. Cerdá & J. Prat	591
Prevention of trypsin-induced shock in rats by the pancreatic secretory trypsin inhibitor: P. Jönsson, I. Ljungcrantz & K. Ohlsson	595
Serum lipids, acute phase proteins and serum cholinesterase in normal subjects: M. Crook, M. Haq & P. Tutt	601
Familial hypercholesterolaemia caused by a non-sense mutation in codon 329 of the LDL receptor gene: K. Solberg, O. K. Rodningen, S. Tonstad, L. Ose & T. P. Leren	605
Retinyl palmitate is a reproducible marker for chylomicron elimination from blood: U. Bitzén, M. Winqvist, P. Nilsson-Ehle & G. Fex	611
Parasympathetic muscarinic stimulation limits noradrenaline induced myocardial creatine kinase release: a study in the isolated perfused working rat heart: A. Waldenström, H. J. Martinussen, J. Kock, G. Ronquist & J. Hultman	615
The pregnancy zone protein response during gestation: a metabolic challenge: L. Ekelund & C.-B. Laurell	623

The cholesterol to phospholipids ratio (C/PL) of the erythrocyte membrane in normotensive, hypertensive pregnant and in cord blood as assessed by a simple enzymatic method: <i>J. J. Piazze Garnica, F. Pierucci, G. Vozzi, E. V. Cosmi & M. M. Anceschi</i>	631
Lack of association between plasma homocysteine levels and microangiopathy in type 1 diabetes mellitus: <i>C.-D. Agardh, E. Agardh, A. Andersson & B. Hultberg</i>	637
Interactions <i>in vitro</i> and <i>in vivo</i> between porcine tissue kallikrein and porcine plasma proteinase inhibitors: <i>M. Bläckberg & K. Ohlsson</i>	643
Serum concentrations of erythropoietin in healthy and anaemic pregnant women: <i>S. Riikonen, O. Saijonmaa, A.-L. Järvenpää & F. Fyhrquist</i>	653
<i>In vitro</i> effect of nicotine on red blood cell deformability in untreated and treated essential hypertension: <i>K. Salbaş, A. Gürlek & T. Akyol</i>	659
Docosahexaenoic acid induces lipid accumulation in myocardial cells of rats: <i>S. Hexeberg, N. Willumsen & R. K. Berge</i>	665

Technical Note

Displaced chromatographic elution of gastrin-17 in normal human serum: <i>J. P. Götze & J. F. Rehfeld</i>	673
-------------------------------------------------------------------------------------------------------------------------	-----

Indexes

Index of key words.	677
Index of authors.	681

